



All drawings and related documents are the property of Acton Ostry Architects Inc. and are not to be reproduced in whole or in part without the architect's permission. This drawing should not be used to calculate area. Do not scale this drawing. All dimensions to be checked on site by the contractor and such dimensions to be their responsibility. All work must comply with the relevant Building Code by Law and related documents. Drawing errors and omissions must be immediately reported to the Architect.

Issues:
 08 JUN 2006 VPS Review
 16 JUN 2006 VPS Review
 27 JUN 2006 LEED Charette
 04 JUL 2006 Budget Pricing & Constructability Design

Legend

- 1 existing jumbo brick
- 2 existing standing seam metal
- 3 jumbo brick rainscreen to match existing
- 4 standing seam metal to match existing
- 5 painted tilt-up concrete insulated sandwich panel with potential reveals max. 20 mm deep
- 6 double-glazed windows in anodized aluminum frames
- 7 open web steel truss approximately 2500 mm deep
- 8 potential daylighting to be investigated subject to building envelope and performance criteria; potential light diffusing product: Soera translucent insulated glass
- 9 portable seating on treated wood platform compartmentalized such that no sprinklers required
- 10 steel cross-bracing
- 11 steel and glass canopy with steel column support
- 12 bench
- 13 plastic bench
- 14 dasher board and glass system to accommodate reconfiguration from Olympic to NHL ice dimensions
- 15 acrylic dome skylight
- 16 double glazed partition in anodized aluminum frame
- 17 double glazed sliding door in anodized aluminum frame
- 18 painted concrete block
- 19 painted concrete block with bullnose units where appropriate
- 20 open web steel joists approx. 500 mm deep
- 21 toilet partition
- 22 metal grate
- 23 steel column
- 24 overhead door 4270 high
- 25 vending machines
- 26 scoreboard and clock
- 27 2 ply SBS insulated roofing system on acoustic steel decking on open web steel trusses
- 28 green roof system
- 29 suspended radiant heating to be relocated at legacy mode
- 30 concrete retaining wall
- 31 concrete sidewalk
- 32 illuminated sign
- 33 drywall partition
- 34 glulam beam approx. 175 mm x 456 mm deep
- 35 air handling unit: number and location as required, to be determined
- 36 temporary Olympic seating to be reconfigured for legacy mode

DRAFT 4

ACTON OSTRY ARCHITECTS INC.

1637 W 5 Avenue
 Vancouver BC
 Canada V6I 1N5
 t 604.739.3344
 f 604.739.3355
 info@actonostry.ca

Killarney Ice Rink and Lobby
 6260 Killarney Street, Vancouver BC

scale	date
1:100	04 July 2006
project code	status
KIL	DP
drawn	checked
NS	RA

